

Indian Journal of Agriculture and Allied Sciences

ISSN 2395-1109 e-ISSN 2455-9709 Volume: 3, No.: 3, Year: 2017 www.mrfsw.org Received: 05.08.2017, Accepted: 21.08.2017 Publication Date: 30th September 2017

COSMETOLOGICAL AND MEDICINAL IMPORTANCE OF ALOE VERA : REVIEW

Kalpana Singh and Ozair Aziz

Department of Zoology & Botany, R.S. Govt. College Shivrajpur, Kanpur, E-mail: drkalpanasingh4@gmail.com, Corresponding Author: Kalpana Singh

Abstract: The botanical name of Aloe Vera is Aloe Barbadensis Miller. Aloe vera belongs to the family Liliaceae, and is commonly called Quargandal, Ghritkumari, Gheekvar, katraazhai or kumari. It is widely used in medicines. It has been used to treat constipation, burns, genital herpes, dandruff, osteoarthritis, inflammatory bowel disease, asthma and epilepsy. With the improvement in cosmetology, it has been proved that Aloe vera is a very important component of cosmetics. This review highlights the importance of using Aloe vera as a medicinal herb and various cosmetics.

Keywords: Aloe vera, cosmetic, Skin protection, Medicinal, Herb.

Introduction: Aloe vera is a plant with height of almost 60–100 cm containing very short stem or stemless long leaves, and belongs to the family Liliacae. In India, the Aloe vera plant is known as Ghritkumari or Gheekvarand in Tamil naadu, and Pakistan, the plant is known as Quargandal .Aloe vera is known as katraazhai and it has also a pet name kumari. It is cultivated in tropical and subtropical areas of the world. It is utilized as a decorative plant as well as for herbal medication. Diagrammatic Representation of Aloe vera is given in figure 1. Its products are available in the form of spray, cream, gel, lotion and capsule and liquid ^[11].



Figure-1: Aloe vera

Medicinal Importance: Aloe vera is one of the only known natural vegetarian sources of Vitamin B12, and it contains many minerals vital

to the growth process and healthy function of all the body's systems. Aloe vera contains protein, calcium, magnesium, zinc, vitamins A, B12 C, E and essential fatty acids. Numerous studies worldwide indicate that Aloe vera is a general tonic for the immune system, helping it to fight illness of all kinds. Various research studies are underway to explore the potential of Aloe vera components to boost immunity and combat the HIV virus, and to treat certain types of cancer particularly leukemia. When Aloe vera is used externally, almost no adverse effects are seen. Oral use of Aloe vera may cause colic and diarrhea. have been reported with oral use of aloe vera. The purgative property of the plant may reduce the absorption of other drugs. Aloe vera is widely used in medicines. The use of Aloe vera in the treatment of different diseases is given here briefly.

Constipation: Aloe is very useful for destroying the micro-organisms in the last part of large intestine and have the capability to overcome the problem of constipation. Juice of Aloe vera may also be used in treating inflammatory bowel disease ^[2,3].

Burns: Aloe vera plant has been implied for years to treat burns holistically. For the treatment of burns, the pure gel, either from the fresh leaves of a healthy plant or from a trustworthy company may be used. Keep in mind that Aloe

vera liniment is not used as the liniments have been formulated to create heat that may again cause problem to the burn ^[4,5]. Its liniment is used for muscle problems.

Genital Herpes: Extract of Aloe vera is used for the treatment of genital herpes ^[6,7]. Aloe vera juice mixed with fruit juice may be taken daily for chronic viral infections.

Seborrheic Dermatitis (Dandruff): Aloe vera lotion is used for treating seborrheic dermatitis. It is also an excellent treatment for the hair care. Aloe vera hair conditioners and shampoos areused widely for the purpose^[8,9].

Osteoarthritis: Aloe vera is used topically for osteoarthritis, and sunburns. Pain in the joints and muscles due to arthritis may be treated by using Aloe vera sprays or gels ^[10,11]

Lungs Cancer: Aloe vera is the only food from plant sources that protect lung cancer ^[12,13]. The aloe can help to prolong time of survival and to stimulate the immune system of the patient of cancer ^[14,15].

Diabetes: It also decreases blood sugar level in hyperglycemic patients. For this purpose, its juice is taken twice daily ^[16,17]. Aloe vera has also been proven effective for use with diabetes which pregnant women are often plagued with; taking aloe vera daily can help to prevent gestational diabetes.

Ulcer and Heartburn: Juice from Aloe vera is very effective for ulcers, heartburn and other digestive disorders. Recent research has identified that Aloe vera may also be used for children ^[18,19].

Anti-inflammatory Agent: The orally given juice of Aloe veramay be used for inflammation. It may also enhance white blood cell activity and promote production of interferon-specific immunoactive proteins released by blood cells in response to viral infections ^[20,21].

Obesity: Aloe vera is very useful to overcome the problem of obesity. Aloe vera breaks down the fat globules so that triglycerides, total cholesterol and blood fat lipid levels are decreased resulting in decrease in body weight [22].

Asthma and Epilepsy: Asthma and epilepsy may be treated with Aloe vera gel. Aloe vera in form of inhaler may be used as a decongestant. Sinus conditions may also be controlled by using Aloe vera orally ^[23,24].

HIV Infection: Acemannan, a component of Aloe vera gel, has been shown to have immunestimulating and anti-viral activities. An extract of mannose from Aloe inhibit HIV. HIV

were treated in vitro and they showed reduced reproduction by as much as 30% ^[25,26].

Cosmetological Importance: Cosmetology is the study of cosmetics and their uses and cosmetics are the preparations externally applied to change or enhance the beauty of skin, hair, nails, lips, and eyes. Aloe vera has been used since ancient times for healing infection and burns. However with the improvement in cosmetology, it has been proved that Aloe vera is a very important component of cosmetics. It contains almost 20 amino acids, minerals like calcium, magnesium and sodium in sufficient quantities, enzymes, vitamins, polysaccharides, nitrogen and other components that make it a miracle beauty herb. Some of the most important applications of Aloe vera for purpose of Cosmetology are being explained here briefly. Pigmentation Melanin is a pigment which is responsible for the color of the human skin. Hyper pigmentation is a situation in which large amount of melanin is synthesized. This generally happens due to excess exposure of the skin to the sun. In reaction to UV rays in sunbeams, the skin cells called melanocytes initiate to synthesize melanin. This increased synthesis of melanin is responsible for the emergence of darkened patches on the skin. Aloe vera has the property of diminishing the pigmentation and dark spots on the face ^[27,28].

Skin Eruption: Aloe vera containing creams are beneficial for skin eruptions. Aloe vera gels have been proved to be the best remedy for burns and wounds. Actually, cellular regeneration, antibacterial and anti-fungal activities of Aloe vera make it useful for skin eruption ^[29,30].

Sclap and Other Skin Problems: Aloe vera is very valuable for skin disorders. It may also be used for the treatment of scalp, stings, sprains, sunburns, eczema, sore muscles, arthritis, scrapes, cold sores, scalds, abrasions, psoriasis, bruises, etc^[3132].

Itching and Blisters: Aloe vera also provides relief from itching and also helps to treat blisters. Aloe contains vitamin B1, B2, B6, B12 and vitamin C that provide soothing and pleasing sensation to skin^[33,34].

Skin Aging: Aloe vera initiates the synthesis of elastin as well as collagen. These proteins are essential for preventing the aging of the skin [35,36].

Acne: Aloe vera helps to eradicate acne scars by performing as an immune booster and an antiinflammatory agent. Beauty products composed of Aloe vera may diminish the rigorousness of acne. It is also composed of the chemical ingredients which have the property to save the skin to initiate the acne^[37,38].

Freshness: Aloe vera impart the sensation freshness. It helps in increasing distribution of blood therefore providing easier oxygen exchange among the cells, hence giving them nourishment ^[39].

Sun-burns: Aloe Vera has an outstanding possession in diminishing the hurting of sunburn. For this purpose, it is rubbed directly on skin. The fresh fluid from the plant or Aloe vera containing after-sun creams may be used for sunburns ^[40].

Moisturizing Agent: Aloe vera may also be used for softening and moisturizing the skin. There are so many products available in the market containing Aloe vera which may be used post-showering to obtain the skin in super soft shape. Aloe vera gel, cream or lotion applied on the face forms a delicious cover that helps to shield the skin from dust and other natural elements which may be injurious to the skin ^[42].

Conclusion: Various bioactive compounds having different pharmacological and phytochemical properties are present in A. vera. The constituents of A. vera act against various microorganisms and can be used as treatment for coughs, ulcers, muscle pain, headaches, constipation, antinflammatory agent, pain relief and a reduction in the likelihood of infection and HIV, a curing agent for heart problems, helps in relieving the symptoms of severe illnesses like cancer and diabetes. Externally, fresh aloe gel from the inner central part (parenchyma) of the leaf often has a very good effect in acne, pimples, eczema and other skin problems, poorly healing wounds, leg ulcers, burns due to excessive heat, sun exposure and in the treatment of radiation dermatitis. The Aloe plant's healing powers are most widely touted to treat skin conditions. A. vera contains a number of vitamins and minerals that have a strong moisturizing capacity and antiaging formulations to maintain healthy, fresh looking skin. The gel stimulates cell growth and as such enhances the restoration of damaged skin. A. vera being as beauty enhancer, a number of formulations come in to market. In more recent years, it has become more popular than ever and has found its way in to skin lotions, cosmetic products, shampoos, lip balms, soaps and sunscreens. A. vera is undoubtedly, the nature's gift to humanity and it remains for us to introduce it to ourselves and it will have a bright future of cosmetic applications.

Acknowledgments: Authors are grateful to all the researchers who have published their work on Aloe vera, due to their publications the writing of this review was possible.

References

- 1. Serrano, M., Valverde J.M., Guillen F., Castillo S., Martinez-Romero D., Valero D. (2006). Use of Aloe vera gel coating preserves the functional properties of table grapes. *Journal of Agriculture and Food Chemistry*, 54(11): 3882-3886.
- 2. Vogler, B.K, Ernst, E. (1999). Aloe vera: a systematic review of its clinical effectiveness. *British Journal of General Practice*, 49(447): 823-828.
- 3. Davendra, R., Satish, S.C.R. (2005). Efficacy and Safety of Traditional Medical Therapies for Chronic Constipation. *The American Journal of Gastroenterology*, 100:936-971.
- 4. Grindlay, D., Reynolds, T. (1986). A review of the properties and modern uses of the leaf parenchyma gel, *Journal of Ethnopharmacol.* 16: 113-171.
- Zawahry, M.E., Rashad, M., Helal, M. (1973). Use of Aloe Iim treating Leg Ulcers and Dermatoses, *International Journal of Dermatology*, 12: 68-73
- Syed, T.A., Cheema, K.M., Ahmad, S.A. (1996). Aloe vera extract 0.5% in hydrophilic cream versus Aloe vera gel for the management of genital herpes in males. A placebo-controlled, doubleblind, comparative study. *Journal of the European Academy of Dermatology & Venereology*, 7: 294-295.
- Syed, T., Ahmad, S., Holt, A., Ahmad, S.A., Ahmad, S.H. (1996). Management of psoriasis with Aloe vera extract in a hydrophilic cream: a placebo-controlled, double-blind study. *Journal* of *Tropical Medicine & International Health*, 1(4): 505-509.
- 8. Dennis, P. (2003). Evaluation of Aloe vera gel gloves in the treatment of dry skin associated with occupational exposure, AJIC: *American Journal of Infection Control*, 31: 40-42.
- Vardy, D., Cohen, A., Tchetov, T., Medvedovsky, E., Biton, A. (1999). A doubleblind, placebo-controlled trial of an Aloe vera (A. barbadensis) emulsion in the treatment of seborrheic dermatitis. *The journal of dermatological treatment*. 10: 7 - 11.
- 10. Richard, N. F., Kenan, S. (1999). Initial characterization of the effects of Aloe vera at a crayfish neuromuscular junction. *Journal of phytotherapic research*. 13: 580 583
- Laura, H., Komal, K., Robert, S. Jr., Terrell, Z., Julie, Christina, M., Brittany, S., Javier, S.M., Deborah, A. (2006). Use of Herbal Remedies by Hispanic Patients. *The Journal of the American Board of Family Medicine*, 19: 566-578.

- 12. Reynolds, T., Dweck, A.C. (1999). Aloe vera leaf gel. *Journal of Ethnopharmacology*, 68: 3-37.
- Molassiotis, A., Fernadez-Ortega, P., Pud, D., Ozden, G., Scott, J.A., Panteli, V., Margulies, A., Browall, M., Magri M., Selvekerova, S., Madsen, E., Milovics, L., Bruyns, I., Gudmundsdottir, G., Hummerston, S., Ahmad, A.M.A., Platin, N., Kearney, N., Patiraki, E. (2005). Use of complementary and alternative medicine in cancer patients: a European survey. *Annals of Oncology*, 16: 655-663.
- Reynolds, T., Dweck, A. C. (1999). Aloe vera leaf gel: a review update. *Journal of Ethnopharmacology*, 68: 3-37.
- Pommier, P., Gomez, F., Sunyach, M.P., Hombres, A.D., Carrie, C., Montbarbon, X. (2004). Phase III Randomized Trial of Calendula officinalis compared with Trolamine for the prevention of acute dermatitis during irradiation for Breast Cancer. *Journal of Clinical Oncology*, 22: 1447-1453.
- Chithra, P., Sajithlal, G.B., Chandrakasan, G. (1998). Influence of Aloe vera on the healing of dermal wounds in diabetic rats. *Journal of Ethnopharmacology*, 59:195-201.
- Rajasekaran, S., Sivagnanam, K., Ravi, K., Subramanian, S. (2004). Hypoglycemic Effect of Aloe vera Gel on StreptozotocinInduced Diabetes in Experimental Rats. *Journal of Medicinal Food*, 7: 61-66.
- 18. Blanca, I.O., Clauson, K.A. (2006). Use of Herbs and Herbal Products by Hispanics in South Florida. *Journal of the American Pharmacists Association*, 46: 161 - 167.
- 19. Paula, G., Kathi, J. (2000). Herbs in Pediatric and Adolescent Medicine. *Journal for herbal research*, 21: 44-57.
- Capasso, F., Borrelli, F., Capasso, R., Di Carlo, G., Izzo, A. A., Pinto, L., Mascolo, N., Castaldo, S., Longo, R. (1997). Aloe and its therapeutic use. *Journal of ethnopharmacology*, 12: S124 -S127.
- Beatriz, V.G.A., David, S., Bruno, E. (1996). Anti-inflammatory activity of extracts from Aloe vera gel. *Journal of Ethnopharmacology*, 55: 69-75.
- Richardson, J., Smith, J.E., McIntyre, M., Thomas, R., Pilkington, K. (2005). Aloe Vera for Preventing Radiation-induced Skin Reactions: A Systematic Literature Review. *Clinical Oncology*, 17: 478-484.
- Horacio, A., José, R., Flor, H., Germàn, F. (1997). Cytotoxicity of a low molecular weight fraction from Aloe vera gel. *Toxicon*, 35: 1423-1430.
- Capasso, F., Borrelli, F., Capasso, R., DiCarlo, G., Izzo, A.A., Pinto, L., Mascolo, N., Castaldo, N., Longo, R. (1998). Aloe and its therapeutic use. *The journal of phytotherapic research*, 12: S124 - S127.

- Laura, P., Nichols, G., Michele, H.K., William, D. (1995). Herbs and HIV: The Health Food Industry's Answer, *Southern Medical Journal*, 88: 911-913.
- 26. Jennifer, J.F. (1997). Aloe for AIDS, *Medical Anthropology*, 11: 498-504.
- 27. Montgomery, D., Parks, D. (2003). Tattoos: Counseling the adolescent. *Journal of Pediatric Health Care*, 15(1): 14-19.
- Jacobs, G. (2002). Anthocyanins in vegetative tissues: a proposed unified function in photoprotection. New *Phytologist*, 155(3): 349-361.
- Edmund, D.P. (2001). What every facial plastic surgeon must know. *Herbal Therapy*,13(1):27-132.
- Ernst, E. (2000). Adverse effects of herbal drugs in dermatology. *British Journal of Dermatology*, 143(5):923-929.
- 31. Olsen, D.L., Raub, W. Jr, Bradley, C., Johnson, M., Macias, J.L., Love, V., Markoe, A. (2001). The effect of aloe vera gel/mild soap versus mild soap alone in preventing skin reactions in patients undergoing radiation therapy. *OncolNurs Forum*, 28(3):543-7.
- 32. Anshoo, G., Singh, S., Kulkarni, A.S., Pant, S.C., Vijayaraghavan, R. (2005). Protective effect of Aloe vera L. gel against sulphur mustard-induced systemic toxicity and skin lesions. *Indian journal* of pharmacology, 37(2):103-110.
- 33. Tanweer, S., Ahmad, S., Albert, H., Seyed, A., Seyed, H., Mohammad, A. (1996). Management of psoriasis with Aloe vera extract in a hydrophilic cream: a placebo controlled, double, blind study. *Tropical Medicine & International Health*, 1(4):505-509.
- Talal, A., Feda, M. (2003). Plants used in cosmetics. *Phytotherapic research*, 17(9):987 – 1000.
- 35. Glaser, D. (2003). Anti-aging products and cosmeceuticals. *Facial Plastic Surgery Clinics of North America*, 12(3):363 372
- Fulton, J.E. Jr. (1990). The stimulation of postdermabrasion wound healing with stabilized aloe vera gel-polyethylene oxide dressing. J DermatolSurgOncol., 16(5):460-470.
- 37. Dennis, P. (2003). Evaluation of aloe vera gel gloves in the treatment of dry skin associated with occupational exposure: Devices and Infection. *AJIC: American Journal of Infection Control*, 31(1):40-42.
- Bozi, A., Perrin, C., Austin, S., Arce Vera, F. (2007). Quality and authenticity of commercial Aloe vera gel powders. *Food Chemistry*, 103(1):22-30.
- 39. Hermans, M.H.E. (1998). Results of a survey on the use of different treatment options for partial and full thickness. *Burns*, 24(6):539-551.
- 40. Somboonwong, J., Thanamittramanee, S., Jariyapongskul, A., Patumraj, S. (2000).

Therapeutic effects of Aloe vera on cutaneous microcirculation and wound healing in second degree burn model in rats. *J Med Assoc Thai.*, 83(3):417-425.

- 41. Rawlings, A.V., Harding, C.R. (2004). Moisturization and skin barrier function. *Dermatologic Therapy*, 17(1):43-48
- 42. Dal'Belo, S.E., Gaspar, L.R., Berardo, P.M., Campos, G.M. (2006). Moisturizing effect of cosmetic formulations containing Aloe vera extract in different concentrations assessed by skin bioengineering techniques. *Skin Research and Technology*, 12(4):241–246.