



Indian Journal of Agriculture and Allied Sciences

A Refereed Research Journal

ISSN 2395-1109

e-ISSN 2455-9709

Volume: 4, No.: 2, Year: 2018

www.ijaas.org.in

Received: 12.06.2018, Accepted: 25.06.2018

Publication Date: 30th June 2018

MEDICINAL PLANTS WITH SPECIAL FOCUS ON ADULTERANTS AND SUBSTITUTES

Satya Prakash Chaudhary¹, Brijesh Kumar², Richa Anand³, Kirtika⁴ and Anil Kumar Singh⁵

^{1,2}Ph.D. Scholar, Department of Dravyaguna, Institute of Medical Sciences, Banaras Hindu University, Varanasi, ³Ph.D. Scholar, Indian Institute of Information Technology, Allahabad, ⁴M.Sc, Department of Bioinformatics, MMV, Banaras Hindu University, Varanasi and ⁵Professor, Department of Dravyaguna Institute of Medical Sciences, Banaras Hindu University, Varanasi, Corresponding Author: Satya Prakash Chaudhary

Abstract: Medicinal plants constitute an effective source of traditional and modern medicine. In India, about 80% of the rural population depends on medicinal herbs and/or indigenous system of medicine. Adulterants and substitutes are the common malpractices in herbal law material trade. Adulteration is considered as an intentional addition of foreign substances to increase the weight or potency of the product or to decrease its cost. It may be due to- Confusion in vernacular names, Lack of knowledge about authentic plants, Non availability, Similarity in morphology, activity, aroma, Careless collection and other unknown reasons. Many Substitute Drugs are mentioned in Ayurvedic texts. The principles to select substitute drugs based on similarity of properties (Rasa, Guna Virya and Vipaka) but most important factor is therapeutic action (Karma). In present era number of species in endangered plant list is increasing very fast. In this scenario selection of substitute drugs may be the right option.

Keywords: Ayurveda, Adulteration, Substitute drug.

Introduction: Ayurveda is a system of Indian traditional form of alternative medicine. Adulteration and Substitution are frequent in raw material trade of medicinal plants. Herbal adulteration is one of the common malpractices in herbal raw material trade. At present the adulteration and substitution of the herbal drugs is the burning problem in herbal industry. The deforestation and extinction of many species and incorrect identification of many plants has resulted in adulteration and substitution of raw drugs [1,2]. The term adulteration of an article covers a numbers of condition which may be intentional or accidental. It is a practice of adding foreign substance in place of original crude drug partially or fully which is inferior or substandard in therapeutic and chemical properties or addition of low grade or spoiled drugs or entirely different drug similar to that of original drug adding which an intention of enhancement of profits [3,4,5]. Due to adulteration, faith in herbal drugs has declined. Adulteration in market samples is one of the greatest drawbacks in promotion of herbal products. In adulterated drugs, it is invariably found that the Adverse

Event Reports are not due to the intended herb, but rather due to the presence of an unintended herb [6,7,8]. Medicinal plant dealers have discovered the scientific methods in creating adulteration of such a high quality that without microscopic and chemical analysis, it is very difficult to trace these adulterations. [9,10,11,12]

Many Substitute Drugs are mentioned in Ayurvedic texts. The principles to select substitute drugs based on similarity of properties (Rasa, Guna Virya and Vipaka) but most important factor is therapeutic action (Karma). In terms of pharmacy, substitute is generally done when original drugs are not available or may be available in small quantity. In ancient time, Vaidya had to collect the drug by own self. The drugs which were less available in local area were replaced by the another drugs known as Substitute drugs (Pratinidhi Dravyas). The prior Acharyas like Charaka and Sushruta have not give direct reference or listing of Substitute drugs but, Acharya Vagbhata have stated that in case of nonavailabilit of any particular drug in the preparation of compound one should try to get another similarly potent drug having similar

Rasa(Test), *Guna*(Property), *Virya*(Potency) and *Vipaka*. Detail description regarding Substitute drugs can be traced from the text books like *Bhavaprakasha* (Author *Bhavmishra* in 16th century), *Yogaratanakara* (Author Unknown in 17th century) and *Bhaishajya ratnavali* (Author *Govind das* in 14th century) mentioned.^[13,14,15,16]

Materials and Methods

Available *Ayurvedic* Literatures were studied for better understanding of concept of Adulteration and Substitutes drugs. Information regarding adulterated drugs and Substitutes drugs from various journals, *Ayurvedic* texts and also Internet media was also used for availability and necessity for comprehensive understanding of the subject. A detail list of classical drugs and their Substitutes drugs with their botanical names was prepared, which was critically studied.

A. Methods of Adulterating the Drugs:

Adulteration in simple term is debasement of an article. Drugs are generally adulterated or substituted with substandard, inferior or artificial drugs.

A.1 Adulteration with Substandard Commercial Varieties: Adulterants resemble the original crude drug morphologically, chemically, therapeutically but are substandard in nature and cheaper in cost. This is the most common type of adulteration. Example is *Nux-vomica* seed (*strychnos nux-vomica*) are adulterated with *Strychnos nux-blanda* or *Strychnos potatorum* seed.

A.2 Adulteration with Superficially Similar but Inferior Drugs: Inferior drugs may or may not have any chemical or therapeutic value. They resemble only morphologically, so due to its resemblance they are used as adulterants. Common example is adulteration of *cloves* by *mother cloves*. *Saffron* with dried flowers of *Carthamus tinctoria* (*Safflower*).

A.3 Adulteration with Artificially Manufactured Substance: This type of adulteration is observed in case of drugs which are costly. Examples -Paraffin wax is tinged yellow and adulterated with yellow bees wax, while artificial invert sugar is mixed with honey.

A.4 Replacement by Exhausted Drugs: The same drug is admixed but that drug is devoid of medicinally active substance as it has been extracted already. Mainly volatile oil containing drugs like *clove*, *coriander*, *fennel* are adulterated by this method. As it is devoid of colour and taste due to extraction, natural colour and taste is manipulated with additives.

A.5 Harmful Adulterants: Some are harmful materials as the adulterant, are collected from market waste materials and admixed with the drug. It is done for the liquid drugs.

A.6 Adulteration of Powders: The drugs which are in the form of powders are frequently adulterated. Examples: dextrin is added in *ipecacuanha*, red sandel wood in *capsicum* powder and powdered bark adulterated with brick powder^[17,18].

B. Reason of Adulteration

B.1 Confusion in Vernacular Names: In *Ayurveda*, *Parpatta* refers to *Fumaria parviflora*. In Siddha, '*Parpadagam*' refers to *Mollugo pentaphylla*. Owing to the similarity in the names in traditional systems of medicine, these two herbs are often interchanged or adulterated. Because of the popularity of Siddha medicine in some parts of South India, traders in these regions supply *Mollugo pentaphylla* as *Parpatta/Parpadagam* and the North Indian suppliers supply *F. parviflora*. These two can be easily identified by the presence of pale yellow to mild brown colored, thin wiry stems and small simple leaves of *Mollugo pentaphylla* and black to dark brown colored, digitate leaves with narrow segments of *F. parviflora*. *Casuarina equisetifolia* for *Tamarix indica* and *Aerva lanata* for *Berginia ciliate* are some other example for adulterations due to confusion in names.

B.2 Lack of Knowledge About Authentic Source: *Nagakesar* is one of the important drugs in *Ayurveda*. The authentic source is *Mesua ferrea*. However, market samples are adulterated with flowers of *Calophyllum inophyllum*. Though the authentic plant is available in plenty throughout the Western Ghats and parts of Himalayas, suppliers are unaware of it. There may also be some restrictions in forest collection. Due to these reasons, *C. inophyllum* (which is in the plains) is sold as *Nagakesar*. Authentic flowers can be easily identified by the presence of two-celled ovary whereas in case of spurious flowers they are single celled.

B.3 Similarity in Morphology: *Mucuna pruriens* is adulterated with other similar Papilionaceae seeds having similarity in morphology. *M. utilis* (sold as white variety) and *M. deeringiana* (sold as bigger variety) are popular adulterants. Apart from this *M. cochinchinensis*, *Canavalia virosa* and *C.ensiformis* are also sold in Indian markets. Authentic seeds are up to 1 cm in length with shining mosaic pattern of black and brown color

on their surface. *M. deeringiana* and *M. utilis* are bigger (1.5-2 cm) in size. While *M. deeringiana* is dull black and *M. utilis* is white or buff colored.

B.4 Similarity in Color: It is well known that with course of time, drug materials get changed to or substituted with other plant species. 'Ratanjot' is a recent day example. According to the suppliers and non-timer forest product (NTFP) contractors, in the past, roots of *Ventilago madraspatana* were collected from Western Ghats, as the only source of 'Ratanjot'. However, that has not been practiced now. It is clearly known that *Arnebia euchroma vareuchroma* is the present source. Similarity is in yielding a red dye, *A. euchroma* substitutes *V. madraspatana*. Recently *V. madraspatana* is not found in market. Whatever is available in the market, in the name of Ratanjot is originated from *A. uchroma*.

B.5 Careless Collections: Some of the herbal adulterations are due to the carelessness of herbal collectors and suppliers *Parmelia perlata* is used in *Ayurveda*, Unani and Siddha. It is also used as grocery. Market samples showed it to be admixed with other species (*P. perforata* and *P. cirrhata*). Sometimes, *Usnea* sp. is also mixed with them. Authentic plants can be identified by their thallus nature.

B.6 Other Unknown Reasons: *Vidari* is another example of unknown authentic plant. Its authentic source is *Pueraria tuberosa* and its substitute is *Ipomea digitata*. However, market samples are not derived from these two. It is interesting to know that an endangered gymnosperm *Cycas circinalis* is sold in plenty as *Vidari*. The adulterated materials originated from Kerela, India. Although both the authentic plant and its substitute are available in plenty throughout India, now *Cycas circinalis* became a major source for this drug is unknown^[19,20].

C Types of Substitution

C.1 Using Totally Different Drug: Bharangi (*Clerodendron indicum*) and Kantakari. Bharangi has tikta rasa and Laghu, ruksha guna and has Kapha and vatahara property. While Kantakari (*Solanum xanthocarpam*) has katu vipaka and ushna virya. It has *Glycosides*–*Verbascoside* and *Solasoninie, solamargin, solasurine* respectively. Both *C. indicum* and *S. xanthocarpam* have shown Anti-histaminic activity. Both *C. indicum* and *S. xanthocarpam* are commonly employed in the diseases related to the respiratory system, which are commonly

associated with release of Histamines and other Autacoids.

C.2 Substitution of the Species Belonging to Same Family: The *Datura metal* and *Datura stramonium* can be considered here. Chemical Constituents are Alkaloids, Scopolamine, Atropin, Hyocyamin, Lyoscine. The Alkaloids are proved as Bronchodialator and inhibitor of secretion of mucous membrane. The alcoholic extract of *D. metal* show Anti helmentic Activity The Alkaloid present in Both the species are well proven Bronchodilators and also they inhibit the secretion of Mucous membrane of the Respiratory tract. Thus as far as the diseases of the Respiratory tract are concerned both *D. metal* and *D. stramonium* are beneficial, while as Krimihara *D. metal* would be a better choice as it is a proven Anthelmentic.

C.3 Substitution of Different Species: Two types of *Gokshura*–*Tribulus terrestris* (zygophyllaceae) and *Pedaliium murex* (Pedaliaceae). *T. terrestris* has the chemical constituents like Chlorogenin, Diosgenin, Rutin, Rhamnose, and Alkaloid. While *P. murex* has Sitosterol, Ursolic acid, Vanilin, Flavonoids and Alkaloids. Both the species are proved for Nephroprotective, Lothotriptic, Diuretic and Hepatoprotective activities. If we analyse the clinical conditions where Gokshura is indicated i:e- mutrakrrcha, Mutraghata, Ashmari, Prameha etc, both *T. terrestris* and *P. murex* appear to be appropriate.

C.4 Substitution of Different Parts of the Same Plant: The root of *Sida cordifolia* and the whole plant of *Sida cordifolia* can be considered. Root has the chemical constituents such as Sitoindoside, Acylsteryglycoside. While the whole plant has Alkaloid, Hydrocarbons, Fatty acids, Ephedrine. Various extracts of the whole plant showed Anti-bacterial, Anti-oxidant, Hypoglycemic, Hepatoprotective and Cardio tonic activities. Though it is the root which is mentioned as officinal part of *S. cordifolia* in the classics as Balya, Brumhana, Shotahara etc, modern researches proves that even the aerial parts are also equally effective

C.5 Due to Same in Action: *Embelica officinalis* shows antioxidant, hepatoprotective, antimicrobial, hypoglycemic and hypolipidemic action. *Semecarpus* shows anti-tumour, hypotensive, anticytotoxic and anticancerous properties etc. Both Amalaki and Bhallataka are Rasayana (rejuvenator) drugs. In current practice the Rasayana formulations are being employed as an adjuvant therapy in Chronic as well as

Malignant diseases. Amalaki can be employed as Rasayana in Chronic debilitating diseases like bronchial asthma, diabetes etc, while Bhallataka would be better choice in malignant conditions, both in solid tumors and in leukemia.

D. Reasons for Substitution

D.1 Non-availability of the Drug: In case of nonavailability of leaf of the *Abies webiana* (Talisa patra) leaf of the *Abies baccata* are used.

D.2 Uncertain Identity of the Drug: For the herb Lakshmana different species such as *Arlia quinquefolia*, *Ipomea sepiaria* etc are considered.

D.3 Cost of the Drug: Kumkuma being costly herb is substituted by Kusumbha Geographical distribution of the drug: Rasna (*Pluchea lanceolata*) is used in Northern India while in

Table 1: Commonly use substitution in Ayurvedic drug [25,26]

Sl. No.	Common name	Botanical name	Substitute Drug	Botanical name
1.	Chitrak	<i>Plumbago zeylanica</i>	Danti	<i>Baliospermum Montanum</i>
2.	Murva	<i>Marsdenia tenacissima</i>	Jinghini	<i>Lannea coromandelica</i>
3.	Bakula	<i>Mimusops elengi</i>	Kamala	<i>Nelumbo nucifera</i>
4.	Tagar	<i>Valeriana wallichii</i>	Kustha	<i>Saussrea lappa</i>
5.	Jatipatra (Aril)	<i>Myristica fragrans</i>	Lavanga	<i>Syzigium aromaticum</i>
			Jatiphala (fruits)	<i>Myristica fragrans</i>
6.	Puskar mool	<i>Inula racemosa</i>	Kustha	<i>Saussrea lappa</i>
			Eranda (root)	<i>Ricinus communis</i>
7.	Chavya	<i>Piper chaba</i>	Pippali (root)	<i>Piper longum</i>
8.	Draksha	<i>Vitis vinifera</i>	Kashmari phala	<i>Gmelina arborea</i>
9.	Bharangi	<i>Clerodendrum serratum</i>	Kantakari	<i>Solanum xanthocarpum</i>
10.	Dhanavayasa	<i>Fagonia cretica</i>	Duralabha	<i>Alhagi pseudalhagi</i>
11.	Ahimsa	<i>Capparis sepiaria</i>	Manakanda	<i>Alocasia indica</i>
12.	Bakula (bark)	<i>Mimusops elengi</i>	Babul (bark)	<i>Acacia arabica</i>
13.	Tulasi	<i>Ocimum sanctum</i>	Nirgundi	<i>Vitex negundo</i>
14.	Riddhi and Vriddhi	<i>Hobenaria spp.</i>	Varahikanda	<i>Dioscorea bulbifera</i>
15.	Ikshu	<i>Saccharum officinarum</i>	Nala	<i>Arundo donax</i>
16.	Kakoli	<i>Lilium polyphyllum</i>	Asvagandha	<i>Withania somnifera</i>
17.	Kshirakakoli	<i>Fritillaria roylei</i>	Asvagandha	<i>Withania somnifera</i>
18.	Bhallataka	<i>Semecarpus anacardium</i>	Nadi Bhallataka	<i>Semecarpus travancorica</i>
19.	Ativisha	<i>Aconitum heterophyllum</i>	Mustaka	<i>Cyperus rotundus</i>
20.	Dadim	<i>Punica granatum</i>	Vrikshamla	<i>Garcinia indica</i>
21.	Nagapuspa	<i>Mesua ferrea</i>	Padma kesar	<i>Nelumbo nucifera</i>
22.	Amlavetas	<i>Garcinia pedunculata</i>	Chukra	<i>Garcinia indica</i>

Discussion: Adulterants and substitutes are different. The most essential criteria for substitution is the Pharmacological activity rather than Morphology or Phytoconstituents. Substitute is rational replacement of herbal drugs to get similar medicinal properties from replaced material, so substitute and Adulteration can be understood in two ways : legally (official substitutes) and Illegally (commercial aspect) The legal substitute of the drug is scientifically proved. It means that the drug has the properties which are similar to the original one. Illegal means the drug has been using instead of the original one is not scientifically proved but it is commercially beneficial to the adulterator or drug dealer.

southern parts *Alpinia galanga* is considered as the source.

D.4 The Adverse Reaction of the Drug: Vasa is a well known Rakta-Pittahara (cures bleeding disorder) drug, but due to its abortifacient activity its utility in pregnant women is limited, instead drugs such as Laksha, Ashoka etc are substituted.

D.5 Seasonal Availability of Drugs: some drugs are available in specific season so other drugs can be introduced, which have same action. For example: *Trianthema portulacastrum* can be used in seasonal absences of *Boerhavia diffusa*.

D.6 Shelf Life of the Drug: In case of non availability of old jaggery used new jaggery after heating in sun rays for 4 hr. [21,22,23,24]

Conclusion: Substitution of the herbs is the need of the hour with more than 300 medicinal plants becoming red listed. It provided greater scope for the physician to utilize herbs that are easily available, cost effective and most appropriate for the clinical condition. It is not that all adulterations are intentional malpractice as stated in many literatures. With our experience it is noted that the herbal drugs are adulterated unintentionally also. Suppliers are illiterate and not aware about their spurious supply. Nowadays, Ayurvedic drug industries follow high quality standards using modern techniques and instruments to maintain their quality. World Health Organization (WHO), in its publication on quality standards for medicinal plant

materials, recommends rejecting any batch of raw material, which has more than 5% of any other plant part of the same plant (e.g. stem in leaf drugs), never the less if they are derived from the authentic plant. Based on these standards, adulteration whether, intentional or unintentional, should be rejected. Also, suppliers and traders should be educated about the authentic sources^[27,28].

References

- Kokate, C.K., Purohit, A.P., Gokhele, S.B. (2007). *Pharmacognosy*. Chapter-6, Edn 39, Nirali Prakashan, Pune, pp. 97-98.
- Mukherjee, P.K. (2002). Quality Control of Herbal drugs. Edn 1, Business Horizons, New Delhi. Pp. 113-117.
- Tewari, N.N. (1991). Some crude drugs: source, substitute and adulterant with special reference to KTM crude drug market. *Sachitra Ayurved*, 44(4):284-290.
- Vasudevan Nair, K., Yoganarasimhan, K.R., Kehava Murthy, Shantha, T.R. (1983). Studies on some south Indian market samples of Ayurvedic drugs II. *Ancient Science of Life*, 3(2): 60-66.
- Bisset, W.G. (1984). *Herbal drugs and Phytopharmaceuticals*, CRC Press, London,
- Sunita, G. (1992). Substitute and adulterant plants, Periodical Experts Book Agency, New Delhi.
- Uniyal, M.R., Joshi, G.C. (1993). Historical view of the basic principles of the identification of controversial drugs, problems and suggestions. *Sachitra Ayurved*, 45(7):531-536.
- Sarin, Y.K. (1996). *Illustrated Manual of Herbal Drugs used in Ayurveda*, CSIR & ICMR, New Delhi.
- Saraswathy, A. (2001). *Adulterants and substitutes in Ayurveda*. *Sachitra Ayurved*, 54(1):63-66.
- Gupta, A.K. (2003). *Quality standards of Indian medicinal plants*, Vol. I. ICMR, New Delhi.
- De, S., PAGM, Keller, K., Hansel, R., Chandler, R.F. (1992). Adverse effects of herbal drugs. Vol. 1. Springer Verlag, Heidelberg.
- Afaq, S.H. (1999). A comparative introduction of the Unani and Tibetan medical traditions, *Ayur Vijnana*, 6. http://www.itm.org/publications/AyurVijnana/Vol_06/AV_V06_5.htm Accessed on 25 January 2013.
- Mitra, S.K., Kannan, R. (2007). A Note on Unintentional Adulterations in Ayurvedic Herbs. *Ethnobotanical Leaflets*, 11: 11- 15.
- Sastri Hari Sadashiv. (2007). *Astangahradaya sutrasthan adhyaya, 15 /46*, chokhambha surbharti prakasana, Varanasi, p. 240.
- Sastri Girijasankar Mayasankar. (1955). *Bhavprakash Samhita Purvakhanda*, Sastu sahitya vardhaka karyalaya prakashana, Ahemadabad. Revised 3 edition, p. 165-169
- Shastri Shree Laxmipati. (2005). *Yogaratanakara with vidhotini Commentary in Hindi*, Abhavvarga, Chokhambha Sanskrit Sansthan Prakasana, Varanashi, 2005
- Mishra Siddhinandan. (2005). *Bhaisajyaratnavali With Siddhiprada Commentary in Hindi*, Abhavprakaran, Chokhambha Surbharti Prakasana, Varanashi, 1st edition.
- Kokate, C.K., Purohit, A.P., Gokhele, S.B. (2003). *Pharmacognosy*. Chapter-7, 18th Edn, Nirali Prakashan, Pune.
- Sarin, Y.K. (1996). *Illustrated Manual of Herbal drugs used in Ayurveda*, Joint Publication of C.S.I.R and I.C.M.R, New Delhi.
- Shah and Seth. (2010). *Text book of Pharmacognosy* Edn-1st, Published by Elsevier, a division of Reed Elsevier India Pvt. Limited.
- Poornima, B. (2010). Adulteration and substitution in herbal drugs a critical analysis, *IJRAP*, 1(1): 8-12.
- Sarin, Y.K. (1996). *Illustrated Manual of Herbal drugs used in Ayurveda*, Joint Publication of C.S.I.R and I.C.M.R, New Delhi.
- Mishra, B., Shankar and Vaishya, R. (editor) Bhava Mishra's. (2002). *Bhavaprakasha Choukamba Sanskrit sansthan*, Varanasi, UP, 10th Edn.
- Shastri Ambikadatta. (2005). *Baishajya Ratnavali*, Chaukambha Sanskrit Sansthan, Varanasi, U.P. 18th Edn.
- Chunekar, K.C. (2004). *Bhavaprakasa Nighantu of Bhavamisra*. Chaukambha Bharati Academy, Varanasi.
- Sastry, R. (2002). *Bhaishajya Ratnavali of Govind Das Sen*. Varanasi: Chaukambha Sanskrit Bhavan.
- Kokate, C.K., Purohit, A.P., Gokhele, S.B. (2007). *Pharmacognosy*. Chapter-6, Edn 39, Nirali Prakashan, Pune, 97-98.
- Poornima, B. (2010). Adulteration and substitution in herbal drugs a critical analysis, *IJRAP*, 1(1): 8-12.